





BACKREST



Upholstered backrest with polyurethane foam of 35 Kg/m³ density. Wood inner structure. Available with black leather and Pu leather.



Has **synchronized mechanism** with 4 blocking positions and non-return system. Is activated using the black handle under the seat. The tilt value for the backrest is 75° to 103°.



Seat-back joint by a chrome metal support (90 x 7 mm).



OPTIONAL: upholstered fixed headrest. Inner structure of injected polyurethane foam. Available with black leather and Pu leather.



SEAT



Upholstered seat with polyurethane foam of 40 Kg/m³ density. Wood inner structure. Available with black leather and Pu leather.



Height adjustable piston with a gas mechanism activated using the black handle under the seat.



It has got a **tension knob** to adjust user's weight.



The tilt value of **synchronized mechanism** for the seat is 90° to 103°.





FIXED ARMRESTS



T-shape arms made of polished aluminium with soft black polyurethane pads.



BASE



Polished aluminium five star base.



Nylon black wheels of Ø50 mm with chrome covers.

CANTILEVER CHAIR



FRAME

Chrome cantilever frame of cold-rolled steel oval tube Ø 40 x 20 x 2mm.



Frame provides the armrests itself with black upholstered pads.

Black polypropylene non-slip glides to protect chair and floor from scratching.




MEASUREMENTS (cm)




ADJUSTMENT FEATURES

Only for chair with 5-star base:

Synchro mechanism



Height adjustment



CARE INTRUCTIONS

Clean the chair and its components with a soft cloth and neutral detergent.

VERSIONS

