



RECTANGULAR TABLE



ROUND TABLE



DESKTOPS

Melamine top: 25 mm of thickness. Recoated chipboard with melamine of 120 grs/m² in both faces with a density of 600 Kg/m³ ± 5 %. ABS edges all around the top with a bevel of 2 mm. Edges are fixed with melted glue and rounded in shape.

Finishes: graphite, white, grey, beech, maple, pear, wengue, light acacia, dark acacia, zebrano, oak or dark oak.



Tops are fixed to the structure of the desk with M6 x 55 DIN 912 and washers.

It has got 8 anchor points to assemble the table top.



Round desktop-corner
r = 50 mm





WOOD FRAME

FOR RECTANGULAR TABLES:

Beech veneer wood.



Perimeter beech veneer wood frame with four wood beams of 60 x 30 mm joined to four **conical wood columns** of 45 x 45 mm to 25 x 25 mm in the lower side. Columns are joined to perimeter frame with eight screws (M8 x 80 mm DIN 912) and washers.



Columns are **joined** to perimeter frame with eight screws (M8 x 80 mm DIN 912) and washers. Perimeter frame corners are reinforced with **wood wedges** that are fitted and screwed.



Include translucent plastic **glides** that protect table and floor from scratching.



WOOD FRAME

FOR ROUND TABLES:



Beech veneer wood.

Four beech veneer wood columns with "Y" shape of 45 x 30 mm.



Black injected aluminium **oval fittings** with 4 anchor points to assemble the table top.

This black fitting is screwed to the columns with screws M8 x 16 mm and M8 x 20 mm with its washers.




Include translucent plastic **glides** that protect table and floor from scratching.




MEASUREMENTS (cm)

RECTANGULAR TABLES:



ROUND TABLES:



FINISHES

DESKTOPS



WOOD FRAME



Beech wood veneer

VERSIONS



CARE INTRUCTIONS

Indoor table only.

Clean and dry the table and its components with a soft cloth and neutral detergent.

Don't use abrasive products neither solvents.

